



2001 Airport Road, Suite 301  
 Flowood, Mississippi 39232  
 License #: TESL000161  
 601-910-3001  
 info@ms.steepphill.com

# State Mandated Testing

## Sample Result: FAIL

**Client Name:** MSDOH  
**Client Address:** , ,  
**License Number:**

**Sample Name:**  
**Sample ID:** MS3927  
**METRC ID (LOT#):** 1A4230100000065000011080  
**Batch Number:** 1A4230100000065000000738  
**Sample Matrix:** Concentrate  
**Total Batch Size (#), Units in Batch (count):**  
**Total Sample Weight (g), Units Sampled (count):**  
**Sample Density(g/ml):**  
**Servings Per Container (#):**  
**Serving Mass (g):**  
**Grams per Package:**  
**Date Sampled:** 2/10/2024  
**Date Received:** 2/10/2024  
**Date Reported:** 3/12/2024

### Heavy Metals PASS

Heavy metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS) - **Limit units: µg/kg** | Test ID: #28541

Analyte	Pass/Fail	Result (ug/g)	Limit	LOD (ug/g)	LOQ (ug/g)
Arsenic	Pass	ND	0.400	0.060	0.200
Cadmium	Pass	ND	0.400	0.060	0.200
Lead	Pass	ND	1.000	0.160	0.500
Mercury	Pass	ND	1.200	0.200	0.600



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301  
 Flowood, Mississippi 39232  
 License #: TESL000161  
 601-910-3001  
 info@ms.steepphill.com

# State Mandated Testing

## Pesticides FAIL

Residual pesticide analysis utilizing Liquid and Gas Chromatography – Mass Spectrometry (LC-MSMS) - Limit units: ug/g = ppm | Test ID: #31997

Analyte	Pass/Fail	Result (µg/g)	Limit	LOD (µg/g)	LOQ (µg/g)
Abamectin	PASS	ND	0.500	0.001	0.002
Acephate	PASS	ND	0.400	0.015	0.047
Acequinocyl	PASS	ND	2.000	0.024	0.072
Acetamiprid	PASS	ND	0.200	0.002	0.006
Aldicarb	PASS	ND	0.400	0.005	0.015
Azoxystrobin	PASS	ND	0.200	0.002	0.006
Bifenazate	PASS	0.163	0.200	0.002	0.007
Bifenthrin	PASS	ND	0.200	0.004	0.012
Boscalid	PASS	ND	0.400	0.008	0.023
Carbaryl	PASS	ND	0.200	0.001	0.003
Carbofuran	PASS	ND	0.200	0.002	0.005
Chlorantraniliprole	PASS	ND	0.200	0.004	0.011
Chlorfenapyr	PASS	ND	1.000	0.056	0.170
Chloromequat chloride	PASS	ND	0.200	0.004	0.013
Chlorpyrifos	PASS	ND	0.200	0.004	0.011
Clofentezine	PASS	ND	0.200	0.002	0.006
Cyfluthrin	PASS	ND	1.000	0.025	0.076
Cypermethrin	PASS	ND	1.000	0.010	0.029
Daminozide	PASS	ND	1.000	0.014	0.044
Diazinon	PASS	ND	0.200	0.001	0.004
Dichlorvos	PASS	ND	0.100	0.001	0.002
Dimethoate	PASS	ND	0.200	0.002	0.005
Ethoprophos	PASS	ND	0.200	0.002	0.006
Etofenprox	PASS	ND	0.400	0.009	0.029
Etoxazole	PASS	ND	0.200	0.001	0.004
Fenoxycarb	PASS	ND	0.200	0.002	0.005
Fenpyroximate	PASS	ND	0.400	0.002	0.007
Fipronil	PASS	ND	0.400	0.008	0.023
Flonicamid	PASS	ND	1.000	0.043	0.130
Fludioxonil	PASS	ND	0.400	0.010	0.030
Hexythiazox	PASS	ND	1.000	0.007	0.021
Imazalil	PASS	ND	0.200	0.003	0.008
Imidacloprid	PASS	ND	0.400	0.004	0.011
Kresoxim-methyl	PASS	ND	0.400	0.003	0.009
Malathion	PASS	ND	0.200	0.003	0.008
Metalaxyl	PASS	0.019	0.200	0.002	0.004
Methiocarb	PASS	ND	0.200	0.002	0.005
Methomyl	PASS	ND	0.400	0.005	0.014
Methyl parathion	PASS	ND	0.200	0.005	0.016
Myclobutanil	PASS	ND	0.200	0.002	0.005
Naled	PASS	ND	0.500	0.004	0.012
Oxamyl	PASS	ND	1.000	0.013	0.040
Pacllobutrazol	PASS	ND	0.400	0.009	0.028
Permethrins	PASS	ND	0.200	0.001	0.002
Phosmet	PASS	ND	0.200	0.001	0.004
Piperonyl Butoxide	FAIL	8.636	2.000	0.048	0.145
Prallethrin	PASS	ND	0.200	0.001	0.004
Propiconazole	PASS	ND	0.400	0.004	0.011
Propoxur	PASS	ND	0.200	0.002	0.005
Pyrethrins	PASS	ND	1.000	0.000	0.001
Pyridaben	PASS	ND	0.200	0.001	0.004
Spinosad	PASS	ND	0.200	0.000	0.001
Spiromesifen	PASS	ND	0.200	0.001	0.003
Spirotetramat	PASS	ND	0.200	0.005	0.015
Spiroxamine	PASS	ND	0.400	0.002	0.006
Tebuconazole	PASS	0.022	0.400	0.006	0.017
Thiacloprid	PASS	ND	0.200	0.002	0.007
Thiamethoxam	PASS	ND	0.200	0.002	0.007
Trifloxystrobin	PASS	ND	0.200	0.015	0.045



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301  
 Flowood, Mississippi 39232  
 License #: TESL000161  
 601-910-3001  
 info@ms.steepphill.com

# State Mandated Testing

## Mycotoxins PASS

Mycotoxins (LC-MS) - Limit units: ug/kg = ppb | Test ID: #28542

Analyte	Pass/Fail	Result (µg/kg)	Limit	LOD (µg/kg)
Aflatoxin B1	PASS	ND	20.0	0.679
Aflatoxin B2	PASS	ND	20.0	0.433
Aflatoxin G1	PASS	ND	20.0	0.373
Aflatoxin G2	PASS	ND	20.0	0.632
Ochratoxin A	PASS	ND	20.0	0.446

## Residual Solvents Pass

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (HS-GC-MS) - Limit units: µg/g | Test ID: #28544

Analyte	Pass/Fail	Result (µg/g)	Limit	LOD (µg/g)	LOQ (µg/g)
Propane	Pass	ND	5000	1278.38	4261.27
2-Methylpropane	Pass	ND	5000	1235.75	4119.16
n-Butane	Pass	ND	5000	1156.81	3856.02
Neopentane	Pass	ND	5000	978.62	3262.08
Methanol	Pass	ND	3000	383.71	1279.04
Isopentane	Pass	ND	5000	868.39	2894.64
n-Pentane	Pass	ND	5000	2169.76	7232.55
Ethanol	Pass	ND	5000	671.27	2237.58
Ethyl Ether	Pass	ND	5000	129.84	432.79
2,2-Dimethylbutane	Pass	ND	290	27.18	90.61
Acetone	Pass	ND	1000	133.96	446.54
Isopropanol	Pass	ND	5000	601.57	2005.22
Acetonitrile	Pass	ND	410	56.47	188.22
2,3-Dimethylbutane	Pass	ND	290	35.29	117.62
Dichloromethane	Pass	ND	600	68.05	226.84
2-Methylpentane	Pass	ND	290	27.99	93.29
3-Methylpentane	Pass	ND	290	36.35	121.17
n-Hexane	Pass	ND	290	31.87	106.23
Ethyl Acetate	Pass	ND	5000	677.97	2259.90
Chloroform	Pass	ND	60	5.74	19.14
Benzene	Pass	ND	2	0.26	0.86
Isopropyl Acetate	Pass	ND	5000	504.27	1680.91
n-Heptane	Pass	ND	5000	267.81	892.69
Toluene	Pass	ND	890	92.08	306.93
Ethyl Benzene	Pass	ND	2170	181.28	604.26
m,p-Xylene	Pass	ND	2170	355.44	1184.80
o-Xylene	Pass	ND	2710	182.16	607.20
Total Xylene	Pass	<LOQ	2170	6.07	20.24

## Foreign Material PASS

Foreign Matter Inspection

Analyte	Pass/Fail
Foreign Matter	PASS

I hereby attest that all information contained within this report is complete and accurate, and further that all LQC samples have met required regulatory standards as enacted by the Mississippi Medical Cannabis Program as administered by the Mississippi Department of Health.

Mark Henderson  
 President  
 3/12/2024



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

